



FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"




SIDE VIEW



END VIEW

SELF FASTENING
BRACKET (2)




(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com




MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK			300B SERIES RAISED FLOOR BOX	
NOTES: - STANDARD KNOCKOUTS - 1/2" POWER			CARPET RECESS LID	
- 1 1/4 " COMMUNICATION c/w 1 3/8" DIA PLASTIC BUSHING	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
& TIE WRAP ACCOMMODATION - UP TO 2" SITE ENLARGED	DR. BY MWP	DATE	06 / 18	PART NO.
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	APP. BY	DATE		300B-5YYYYYXXX-CRL


FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"



SIDE VIEW




END VIEW



(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION

(4) DECORATOR OPENINGS A/V OR COMMUNICATION


TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK			300B SERIES RAISED FLOOR BOX	
NOTES: - STANDARD KNOCKOUTS 1/2" POWER			CARPET RECESS LID	
- 1 1/4 " COMMUNICATION c/w 1 3/8" DIA. PLASTIC BUSHING	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
& TIE WRAP ACCOMMODATION - UP TO 2" SITE ENLARGED	DR. BY MWP	DATE	06 / 18	PART NO.
	APP. BY	DATE		300B-5YY/XXXXXX-CRL

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"




SIDE VIEW



END VIEW

SELF FASTENING
BRACKET (2)




(4) DUPLEX OPENINGS POWER (4) DECORATOR OPENINGS A/V
OR COMMUNICATION

TOP VIEW INSIDE BOX

REMOVEABLE EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF COMMUNICATION
CABLES & INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com




MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER
- 1 1/2" COMMUNICATION c/w 1 3/4" DIA PLASTIC BUSHING
& TIE WRAP ACCOMMODATION - UP TO 2" SITE ENLARGED
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS




TITLE 300B EXTENDED COMMUNICATION SERIES
RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE NTS	REFERENCE
DR. BY MP	DATE 08 / 18	PART NO.
APP. BY	DATE	300B-5EXTCOMM-YYYYXXX-CRL

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"




SIDE VIEW



END VIEW

SELF FASTENING
BRACKET (2)

BARRIER




(2) DUPLEX OPENINGS POWER (4) DECORATOR OPENINGS A/V
(2) DECORATOR OPENINGS OR COMMUNICATION
COMMUNICATION

TOP VIEW INSIDE BOX

REMOVEABLE EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF COMMUNICATION
CABLES & INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER

- 1 1/2" COMMUNICATION c/w 1 3/4" DIA PLASTIC BUSHING
& TIE WRAP ACCOMMODATION - UP TO 2" SITE ENLARGED



TITLE 300B EXTENDED COMMUNICATION SERIES
RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 18


PART NO.

APP. BY


DATE

300B-5EXTCOMM-YY/XXXXXX-CRL

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"




SIDE VIEW



END VIEW

SELF FASTENING
BRACKET (2)

BARRIER




(2) DUPLEX OPENINGS POWER (1) 4 GANG BOX MOUNT
(2) DECORATOR OPENINGS COMMUNICATION OPENING

TOP VIEW INSIDE BOX

REMOVEABLE EXTENDED COMPARTMENT ALLOWS
FOR LARGE BEND RADIUS OF COMMUNICATION
CABLES & INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 1/2" POWER

- 1 1/2" COMMUNICATION c/w 1 3/4" DIA PLASTIC BUSHING
& TIE WRAP ACCOMMODATION - UP TO 2" SITE ENLARGED



TITLE 300B EXTENDED COMMUNICATION SERIES
RAISED FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 18

PART NO.

APP. BY

DATE

300B-5EXTCOMM-YY/XX-4GBXMT-CRL