



FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"




SIDE VIEW



END VIEW

SELF FASTENING
BRACKET (2)




(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX






WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com




MATERIALS : BOX - 16 GA. GALV. STEEL				TITLE 300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK					
NOTES: - STANDARD KNOCKOUTS - 1/2" POWER					
- 1" COMMUNICATION c/w 1" DIA PLASTIC BUSHING					
& TIE WRAP ACCOMMODATION	DR. BY MWP	SCALE NTS	DATE 06 / 18	REFERENCE PART NO. 300B-1YYXX-CRL	
	APP. BY		DATE		

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"



- (1) DUPLEX OPENING POWER
(1) DECORATOR OPENING COMMUNICATION
- (2) DECORATOR OPENINGS AUDIO / VISUAL



TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
300B SERIES RAISED FLOOR BOX CARPET RECESS LID				
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK				
NOTES:- STANDARD KNOCKOUTS 1/2" POWER				
- 1 " COMMUNICATION c/w 1" DIA PLASTIC BUSHING	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
& TIE WRAP ACCOMMODATION	DR. BY MWP	DATE	08 / 18	PART NO.
	APP. BY	DATE		300B-1Y/XXX-CRL

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"



SELF FASTENING
BRACKET (2)




(2) DUPLEX OPENINGS
POWER

(2) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX





WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com




MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE 300B SERIES RAISED FLOOR BOX CARPET RECESS LID	
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK				
NOTES: - STANDARD KNOCKOUTS 1/2" POWER				
- 1" COMMUNICATION c/w 1" DIA PLASTIC BUSHING	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
& TIE WRAP ACCOMMODATION	DR. BY MWP	DATE	08 / 18	PART NO.
	APP. BY	DATE		300B-2YYXX-CRL

FLOOR TILE CUT-OUT DIMENSIONS:
10 1/8" X 9" TOLERANCE + 3/16" - 0"



SELF FASTENING
BRACKET (2)

BARRIER




(1) DUPLEX OPENING POWER
(1) DECORATOR OPENING
COMMUNICATION

(2) DECORATOR OPENINGS
AUDIO / VISUAL

TOP VIEW INSIDE BOX



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
300B SERIES RAISED FLOOR BOX CARPET RECESS LID				
LID & SURROUND - CAST ALUMINUM & STEEL PAINTED BLACK				
NOTES: - STANDARD KNOCKOUTS - 1/2" POWER				
- 1" COMMUNICATION c/w 1" DIA PLASTIC BUSHING	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
& TIE WRAP ACCOMMODATION	DR. BY MWP	DATE	08 / 18	PART NO.
	APP. BY	DATE		300B-2Y/XXX-CRL