




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

SELF FASTENING
BRACKET (2)

(2) DUPLEX
RECEPTACLES

(2) DECORATOR
OPENINGS FOR
COMMUNICATION

9" DIA. LID
ASSEMBLY

CABLE MANAGER
BRACKET

PLAN VIEW
(LID REMOVED)

ACCESS FLOOR TILE

TRAP DOOR

6 1/4"

REMOVEABLE
POWER
MODULE

BOX BODY TO FIT IN
8 1/2" DIAMETER
DIFFUSER HOLE

REMOVEABLE
COMMUNICATION
MODULE c/w EXTRA
DEEP BACK

SIDE VIEW

MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:



TITLE
300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 18

PART NO.



APP. BY

DATE

300RL-YYXX



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:



TITLE
300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP


DATE 08 / 18

PART NO.

APP. BY

DATE

300RL-Y/XXX



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

SELF FASTENING
BRACKET (2)

(2) DUPLEX
RECEPTACLES

(2) MDVO FLEX INSERTS
c/w INTEGRAL DUST
COVERS

9" DIA. LID
ASSEMBLY

CABLE MANAGER
BRACKET

PLAN VIEW
(LID REMOVED)

ACCESS FLOOR TILE

TRAP DOOR

6 1/4"

REMOVEABLE
POWER
MODULE

BOX BODY TO FIT IN
8 1/2" DIAMETER
DIFFUSER HOLE

REMOVEABLE
COMMUNICATION
MODULE c/w EXTRA
DEEP BACK

SIDE VIEW

MATERIALS: BODY & MODULES: 16 GA. GALV. STEEL
LID ASSEMBLY: 11 GA STEEL POWDER COAT SANDTEX SILVER

NOTES:



TITLE

300RL SERIES RAISED FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MP

DATE 08 / 18

PART NO.

APP. BY

DATE

300RL-YYTT